



a coesia brand



Su proveedor de confianza

Enflex we health care






Pharma standards and ease of use: this is Enflex.



Proven know-how: more than 1100 machines and 205 complete lines sold - 127+ billion produced pouches - 540 customers worldwide.



Sustainable ready: all Enflex solutions are ready to work with 100% recyclable & sustainable materials.



Reliable & User-friendly solutions: easy operation and easy access to components for quick maintenance and cleaning.



Healthcare Specialist: we are experts in supplying solutions to the pharmaceutical industry. Let us help you find the right solution for you!

- Pharma documentation always ready: Enflex equipment for the pharmaceutical industry undergoes a qualification process to comply with GMP requirements, thus guaranteeing performance quality and accuracy. We enable QP/RA/FDS/HDS/SDS/DQ/IQ/OQ protocols documentation for our customers.
- Enflex machines fully comply with 21 CFR Part 11
- All Enflex machines feature the optional installation of OCR/OCV cameras and barcode scanners.
- Enflex solutions can be equipped with an independent rejection track for sampling (rejection/sampling).

Pharma & Healthcare market

01. Serialization and traceability continue to impact the pharmaceutical industry.

02. Digital technology and Internet of Things (IoT) are helping companies connect their machinery to smart devices, troubleshoot and simplify processes.

03. Medical device companies are streamlining their processes and adding more flexible solutions to their operations.

04. Sustainability is a key focus to reduce waste and improve cost efficiency. Flexible packaging is environmentally friendly, with a wide range of recyclable materials.

Why Enflex?

Enflex designs and produces a wide range of sachet machines to package pharmaceutical and nutraceutical products, as well as alcohol wipes, medical swab sticks and other medical devices.





Solutions

01. ENFLEX F SERIES

Horizontal Form Fill Seal sachet machines for personal care & healthcare products

02. ENFLEX F-TW SERIES

Horizontal Form Fill Seal sachet machines specially designed for wipes applications

03. ENFLEX F-TC SERIES

Horizontal Form Fill Seal machines specially designed for sachets with top cap.

04. ENFLEX PH SERIES

Horizontal Form Fill Seal sachet machines specially designed for pharmaceutical environments.

05. ENFLEX PHS SERIES

Vertical Multilane Stickpack machines for pharmaceutical & healthcare applications.

06. ENFLEX PHV SERIES

Vertical Multilane Sachet machines for pharmaceutical & healthcare applications.

07. ENFLEX PK SERIES

Horizontal Cartoning machines for complete packaging lines.

Enflex F Series:

Horizontal Form Fill Seal sachet machines for personal care & healthcare products.






F-11

Horizontal Form-Fill-Seal (HFFS) machine for sachets, operating from a single reel of flexible packaging material, forming the pouch, filling it with product, and sealing.

Machine Highlights

- Simplex or duplex operation
- Smart HMI, easy and intuitive
- Reduced footprint
- Low operating and maintenance costs
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets, strings of sachets, shaped sachets...)
- Ready to work with 100% recyclable materials

Operating Cycle



01. Unwinding and folding

02. Forming and filling

03. Cutting and exit

Technical Specifications

		Simplex	Duplex
Min pouch size, W x H	mm	40 x 40	40 x 40
Max pouch size, W x H	mm	110 x 130	70 x 130
Max pouch volume	c.c	60	30
Max output	ppm	90	180
Type of material		Heatsealable	
Max reel width	mm	260	
Max reel diameter	mm	450	
Core reel diameter	mm	70 - 75	
Consumption	kW	3,7	4,2
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G	
Machine dimensions, L x A x H	mm	2140 x 930 x 1800	
Net weight	kg	680	780






F-11W

Horizontal Form-Fill-Seal (HFFS) machine for sachets produced simultaneously on two lines, operating from two reels of flexible material, forming the pouches, filling them with product, and sealing.

Machine Highlights

- Simplex operation
- Smart HMI, easy and intuitive
- Ideal for high productions of single SKUs
- Reduced footprint
- Low operating and maintenance costs
- Ready to work with 100% recyclable materials

Operating Cycle



- 01.** Reel
- 02.** Photocell
- 03.** Vertical seal
- 04.** Filling
- 05.** Top seal
- 06.** Scissors
- 07.** Film draw
- 08.** Discharge belt

Technical Specifications

		Simplex	Duplex
Min pouch size, W x H	mm	40 x 40	40 x 40
Max pouch size, W x H	mm	110 x 130	70 x 130
Max pouch volume	c.c	60	30
Max output	ppm	180	360
Type of material		Heatsealable	
Max reel width	mm	260	
Max reel diameter	mm	450	
Core reel diameter	mm	70 - 75	
Consumption	kW	3,7	8,4
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G	
Machine dimensions, L x A x H	mm	2520 x 1230 x 1800	
Net weight	kg	800	900





F-14


Horizontal Form-Fill-Seal (HFFS) machine for sachets, operating from a single reel of flexible packaging material, forming the pouch, filling it with product, and sealing.

Machine Highlights

- Simplex or duplex operation
- Smart HMI, easy and intuitive
- Two dosing systems can be installed simultaneously
- Numeric counters for easy size change
- Low operating and maintenance costs
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets, strings of sachets, shaped sachets...)
- Ready to work with 100% recyclable materialsx



Operating Cycle



01. Unwinding and folding

02. Forming and cutting

03. Opening, filling and sealing

Technical Specifications

		Simplex	Duplex
Min pouch size, W x H	mm	50 x 70	50 x 70
Max pouch size, W x H	mm	140 x 200	70 x 200
Max pouch volume	c.c	300	50
Max output	ppm	90	180
Type of material		Heatsealable	
Max reel width	mm	450	
Max reel diameter	mm	500	
Core reel diameter	mm	70 - 75	
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G	




F-17

Horizontal Form-Fill-Seal (HFFS) machine for sachets, operating from a single reel of flexible packaging material, forming the pouch, filling it with product, and sealing.

Machine Highlights

- Simplex or duplex operation
- Smart HMI, easy and intuitive
- Two dosing systems can be installed simultaneously
- Space to include additional equipment, such as cameras, printers, labelers...
- Numeric counters for easy size change
- Low operating and maintenance costs
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets, shaped sachets...)
- Ready to work with 100% recyclable materials

Operating Cycle




01. Unwinding and folding

02. Forming and cutting

03. Opening, filling and sealing


Technical Specifications

		Simplex	Duplex
Min pouch size, W x H	mm	50 x 70	50 x 70
Max pouch size, W x H	mm	190 x 225	90 x 225
Max pouch volume	c.c	500	90
Max output	ppm	90	180
Type of material		Heatsealable	
Max reel width	mm	450	
Max reel diameter	mm	500	
Core reel diameter	mm	70 - 75	
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G	



Enflex F-TW Series:

Horizontal Form Fill Seal sachet machines
specially designed for wipes applications.






F-11 TW


Horizontal Form-Fill-Seal (HFFS) machine for wipes in sachets, operating from a reel of flexible packaging material, forming the sachet, filling it with reel-fed wipes, and sealing.

Machine Highlights

- Wipe feeder designed for woven and non-woven tissues
- Simplex or duplex operation
- Smart HMI, easy and intuitive
- Reduced footprint
- Low operating and maintenance costs
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets, strings of sachets...)
- Ready to work with 100% recyclable materials



Operating Cycle



01. Reel
02. Pouch opener
03. Vertical sealer
04. Towelette and liquid dosing
05. Top sealer
06. Scissors
07. Film draw
08. Exit
09. Towelette reel
10. Towelette creasing
11. Towelette folding
12. Towelette drive
13. Towelette scissors
14. Towelette folding
15. Towelette inserter

Technical Specifications

		Simplex	Duplex	
Min pouch size, W x H	mm	40 x 40	40 x 40	
Max pouch size, W x H	mm	110 x 130	70 x 130	
Max pouch volume	c.c	10	10	
Max output	ppm	90	180	
Type of material		Heatsealable		
Max reel width	mm	260		
Max reel diameter	mm	450		
Core reel diameter	mm	70 - 75		
Towelette folding type		2-fold	3-fold	4-fold
Min towelette size, unfolded, W x H	mm	60 x 102	60 x 102	60 x 160
Max towelette size, unfolded, W x H	mm	300x190	300x240	300x240
Min / Max towelette width, folded	mm	17/60	17/40	
Max towelette reel diameter	mm	1000		
Consumption	kW	3,4	4,4	
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G		
Machine dimensions, L x A x H	mm	2160 x 2200 x 1800		
Net weight	kg	770		




F-14 TW

Horizontal Form-Fill-Seal (HFFS) machine for wipes in sachets, operating from a reel of flexible packaging material, forming the sachet, filling it with reel-fed wipes, and sealing.

Machine Highlights

- Wipe feeder designed for woven and non-woven tissues
- Simplex or duplex operation
- Smart HMI, easy and intuitive
- Servo-driven motion for enhanced flexibility
- Space to install a second dosing system for products such as shampoos and creams
- Numeric counters for easy size change
- Low operating and maintenance costs
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets...)
- Ready to work with 100% recyclable materials

Operating Cycle



01. Reel
02. Photocell
03. Bottom Sealer
04. Eurohole Perforator
05. Vertical sealer
06. Tear notch
07. Scissors
08. Film draw
09. Suction cups
10. Towelette
11. Liquid dosing
12. Top sealer
13. Pick & place exit
14. Towelette reel
15. Towelette creasing
16. Towelette folding
17. Towelette heating & flattener
18. Towelette drive
19. Towelette scissors
20. Towelette folding
21. Towelette inserter

Technical Specifications

		Simplex	Duplex	
Min pouch size, W x H	mm	50 x 70	50 x 70	
Max pouch size, W x H	mm	140 x 200	70 x 200	
Max pouch volume	c.c	10	10	
Max output	ppm	90	180	
Type of material		Heatsealable		
Max reel width	mm	450		
Max reel diameter	mm	500		
Core reel diameter	mm	70 - 75		
Towelette folding type		2-fold	3-fold	4-fold
Min towelette size, unfolded, W x H	mm	60 x 110	60 x 110	60 x 100
Max towelette size, unfolded, W x H	mm	300x240	300x300	300x200
Min / Max towelette width, folded	mm	17/70		17/40
Max towelette reel diameter	mm	1000		
Consumption	kW	3,4	4,4	
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G		






F-17 TW

Horizontal Form-Fill-Seal (HFFS) machine for wipes in sachets, operating from a reel of flexible packaging material, forming the sachet, filling it with reel-fed wipes, and sealing.

Machine Highlights

- Wipe feeder designed for woven and non-woven tissues
- Simplex or duplex operation
- Smart HMI, easy and intuitive
- Servo-driven motion for enhanced flexibility
- Space to install a second dosing system for products (shampoos, creams...) or additional equipment (cameras, printers, labelers)
- Numeric counters for easy size change
- Low operating and maintenance costs
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets...)
- Ready to work with 100% recyclable materials

Operating Cycle



01. Reel
02. Photocell
03. Bottom Sealer
04. Eurohole Perforator
05. Vertical sealer
06. Tear notch
07. Scissors
08. Film draw
09. Suction cups
10. Towelette
11. Liquid dosing
12. Top sealer
13. Pick & place exit
14. Towelette reel
15. Towelette creasing
16. Towelette folding
17. Towelette heating
18. Liquid drive & flattener
19. Towelette scissors
20. Towelette folding
21. Towelette inserter

Technical Specifications


		Simplex	Duplex	
Min pouch size, W x H	mm	50 x 70	50 x 70	
Max pouch size, W x H	mm	190 x 225	90 x 225	
Max pouch volume	c.c	10	10	
Max output	ppm	90	180	
Type of material		Heatsealable		
Max reel width	mm	450		
Max reel diameter	mm	500		
Core reel diameter	mm	70 - 75		
Towelette folding type		2-fold	3-fold	4-fold
Min towelette size, unfolded, W x H	mm	60 x 110	60 x 110	60 x 100
Max towelette size, unfolded, W x H	mm	300x240	300x300	300x200
Min / Max towelette width, folded	mm	17/70	17/40	
Max towelette reel diameter	mm	1000		
Consumption	kW	3,4	4,4	
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G		



Enflex F-TC Series:

Horizontal Form Fill Seal machines specially designed for sachets with top cap.






F-17 DX-TC

Horizontal Form-Fill-Seal (HFFS) machine for sachets with top cap, operating from a single reel of flexible packaging material, forming the pouch, filling it with product, adding the cap, and sealing.

Machine Highlights

- Duplex operation
- Smart HMI, easy and intuitive
- Top cap applicator including caps unscrambler and feeder
- Space to include additional equipment, such as cameras, printers, labelers...
- Low operating and maintenance costs
- 3- or 4-side sealed top cap sachets


Operating Cycle



- | | | |
|--------------------------|-----------------------------|-------------------------------------|
| 01. Reel | 06. Pouch cutting | 11. Cap feeder |
| 02. Photocell | 07. Film drive | 12. Cap insertion and seal T |
| 03. Bottom seal | 08. Pouch positioner | 13. Op seal |
| 04. Vertical seal | 09. Opening | 14. Pick and place exit |
| 05. Emboss coding | 10. Filling | |

Technical Specifications

		Duplex
Min pouch size, W x H	mm	50 x 70
Max pouch size, W x H	mm	90 x 225
Max pouch volume	c.c	90
Max output	ppm	150
Type of material		Heatsealable
Max reel width	mm	450
Max reel diameter	mm	500
Core reel diameter	mm	70 - 75
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G



Enflex PH Series:

Horizontal Form Fill Seal sachet machines specially designed for pharmaceutical environments.

13100501000008004_014961

13100501000008004_014961




PH-11

Horizontal Form-Fill-Seal (HFFS) machine for pharma products in sachets, operating from a single reel of flexible packaging material, forming the pouch, filling it with product, and sealing.

Machine Highlights

- Simplex or duplex operation
- Smart HMI, easy and intuitive
- Reduced footprint
- Hygienic auger filler (GMP compliant)
- Compliant to 21 CFR Part 11 requirements
- Space to allocate Track & Trace systems, coders, cameras...
- Low operating and maintenance costs
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets, strings of sachets...)
- Ready to work with 100% recyclable materials

Operating Cycle



01. Unwinding and folding

02. Forming and filling

03. Cutting and exit

Technical Specifications

		Simplex	Duplex
Min pouch size, W x H	mm	40 x 40	40 x 40
Max pouch size, W x H	mm	110 x 130	70 x 130
Dosing range, min - max	c.c	0,4 - 40	0,4 - 30
Max output	ppm	90	180
Type of material		Heatsealable	
Max reel width	mm	260	
Max reel diameter	mm	450	
Core reel diameter	mm	70 - 75	
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G	
Machine dimensions, L x A x H	mm	2520 x 1060 x 1850	






PH-28

Horizontal Form-Fill-Seal (HFFS) machine for pharma products in sachets, operating from a single reel of flexible packaging material, forming the pouch, filling it with product, and sealing.

Machine Highlights

- Triplex or quadruplex operation
- Hygienic auger filler (GMP compliant)
- Pouch forming area separated from filling area
- Smart HMI
- Compliant to 21 CFR Part 11 requirements
- Space to allocate Track & Trace systems, coders, cameras...
- Optimized footprint
- Wide variety of sachet formats available (3- or 4-side sealed sachets, twin sachets...)
- Ready to work with 100% recyclable materials

Operating Cycle



- | | | |
|------------------------------|---|--|
| 01. Reel | 09. 3rd vertical seal | 16. Pouch opening |
| 02. Splicing table | 10. 4th vertical seal | 17. Filling station |
| 03. Unwinder | 11. Tear notch | 18. Pouch stretcher |
| 04. Film folder | 12. Photocell | 19. Top sealing |
| 05. Film guides | 13. Servo rollers for film transport | 20. Pick & Place discharge transfer |
| 06. Bottom seal | 14. Knife | 21. Reject ramp |
| 07. 1st vertical seal | 15. Knife | |
| 08. 2nd vertical seal | | |

Technical Specifications

		Triplex	Quadruplex
Min pouch size, W x H	mm	45 x 50	45 x 50
Max pouch size, W x H	mm	93 x 240	70 x 240
Dosing range, min - max	c.c	150	80
Max output	ppm	270	360
Type of material		Heatsealable	
Max reel width	mm	480	
Max reel diameter	mm	600	
Core reel diameter	mm	74 - 78	
Electrical data		200 - 480 V / 50, 60 Hz / 3Ph + G	
Machine dimensions, L x A x H	mm	5000 x 1200 x 1800	
Net weight	kg	5500	



ENFLEX PHS SERIES:

Vertical Multilane Stickpack machines for
pharmaceutical & healthcare applications.

03.04.1.020.06

03.04.1.020.06



PHS-30

Vertical Form-Fill-Seal machine for stick packs, operating from a single reel of flexible packaging material, forming the stick packs in multiple lanes, filling them with product, and sealing.

Machine Highlights

- From 1 to 5 lanes
- Smart HMI, multiple recipes
- Easy access for cleaning and maintenance
- Ideal for pharmaceutical products tests and sampling
- Compliance with GMP and 21 CFR Part 11 standards
- Servo-driven motion
- Quick and easy changeover
- Low maintenance costs
- Wide variety of stick packs formats available (lap seal, fin seal, shaped stick, twinpack, 3-side seal, side seal, string)



Technical Specifications

		PHS-30
Maximum reel width	mm	300
Track number		1 - 4
Width range	mm	14 - 80
Max length*	mm	160
Core reel diameter	mm	70
Max reel diameter	mm	450
Max output	ppm	300
Consumption	kW	3
Air consumption	NI/min	180



PHS-65

Vertical Form-Fill-Seal machine for stick packs, operating from a single reel of flexible packaging material, forming the stick packs in multiple lanes, filling them with product, and sealing.

Machine Highlights

- From 4 to 16 lanes
- Smart HMI, multiple recipes
- Easy access for cleaning and maintenance
- Space to allocate Track & Trace systems, printers, cameras...
- Rejection per independent track for sampling (rejection/sampling)
- Compliance with GMP and 21 CFR Part 11 standards
- Servo-driven motion
- Quick and easy changeover
- Low maintenance costs
- Wide variety of stick packs formats available (lap seal, fin seal, shaped stick, twinpack, 3-side seal, side seal, string)

Technical Specifications

		PHS-65
Maximum reel width	mm	650
Track number		4 - 16
Width range	mm	17 - 80
Max length*	mm	180
Core reel diameter	mm	70
Max reel diameter	mm	450
Max output	ppm	1200
Consumption	kW	5
Air consumption	NI/min	220



PHS-100

Vertical Form-Fill-Seal machine for stick packs, operating from a single reel of flexible packaging material, forming the stick packs in multiple lanes, filling them with product, and sealing.

Machine Highlights

- From 4 to 24 lanes
- Smart HMI, multiple recipes
- Easy access for cleaning and maintenance
- Space to allocate Track & Trace systems, printers, cameras...
- Rejection per independent track for sampling (rejection/sampling)
- Compliance with GMP and 21 CFR Part 11 standards
- Servo-driven motion
- Quick and easy changeover
- Low maintenance costs
- Wide variety of stick packs formats available (lap seal, fin seal, shaped stick, twinpack, 3-side seal, side seal, string)





Technical Specifications

		PHS-100
Maximum reel width	mm	1000
Track number		14 - 24
Width range	mm	17 - 80
Max length*	mm	180
Core reel diameter	mm	150
Max reel diameter	mm	500
Max output	ppm	1800
Consumption	kW	5
Air consumption	NI/min	220

ENFLEX PHV SERIES:

Vertical Multilane Sachet machines for
pharmaceutical & healthcare applications.





PHV-65

Vertical Form-Fill-Seal machine for sachets, operating from a single reel of flexible packaging material, forming the sachets in multiple lanes, filling them with product, and sealing.

Machine Highlights

- From 2 to 9 lanes
- Smart HMI, multiple recipes
- Easy access for cleaning and maintenance
- Space to allocate Track & Trace systems, printers, cameras...
- Rejection per independent track for sampling (rejection/sampling)
- Compliance with GMP and 21 CFR Part 11 standards
- Servo-driven motion
- Quick and easy changeover
- Low maintenance costs
- Wide variety of sachet formats available (4-side sealed single sachets, twin sachets, strings...)

Technical Specifications

		PHV-65
Maximum reel width	mm	650
Track number		2 - 9
Width range	mm	25 - 150
Max length*	mm	150
Core reel diameter	mm	150
Max reel diameter	mm	500
Max output	ppm	675
Consumption	kW	5
Air consumption	NI/min	180



PHV-100

Vertical Form-Fill-Seal machine for sachets, operating from a single reel of flexible packaging material, forming the sachets in multiple lanes, filling them with product, and sealing.

Machine Highlights

- From 3 to 14 lanes
- Smart HMI, multiple recipes
- Easy access for cleaning and maintenance
- Space to allocate Track & Trace systems, printers, cameras...
- Rejection per independent track for sampling (rejection/sampling)
- Compliance with GMP and 21 CFR Part 11 standards"
- Servo-driven motion
- Quick and easy changeover
- Low maintenance costs
- Wide variety of sachet formats available (4-side sealed single sachets, twin sachets, strings...)




Technical Specifications

		PHV-100
Maximum reel width	mm	1000
Track number		3 - 14
Width range	mm	25 - 150
Max length*	mm	159
Core reel diameter	mm	150
Max reel diameter	mm	500
Max output	ppm	1050
Consumption	kW	5
Air consumption	NI/min	180

ENFLEX PK SERIES:

Horizontal Cartoning machines for complete packaging lines.






PK-221

Side-load intermittent motion cartoning machine, operating from pre-glued cartons, inserting the product inside laterally, and closing the carton.

Machine Highlights

- Feeding systems for sachets, stickpacks...
- Smart HMI
- Balcony style design ensures accessibility, easy cleaning and maintenance
- Neat separation between electrical and mechanical sections
- Space to allocate pre-folded leaflets and booklet dispensers as well as Track & Trace systems, printers, cameras...
- Compliance with GMP and 21 CFR Part 11 standards
- Full servo assisted motions
- Positive carton pick-up/forming
- Quick and easy changeover"
- Pre-glued carton boxes with parallel or alternate flaps. Closures available: tuck-in, hot-melt or combination of tuck-in/hot-melt (i.e. tamper evident).



Technical Specifications

		PK-221
Max output	ppm	120
Electric data		230 - 400 V / 50 HZ
Installed power (Hot melt closure)	kW	8
Installed power (Tuck-in closure)	kW	3
Air consumption	NI/min	200
Changeover time	min	15
Approx. weight	kg	1450
A	mm	15 - 120
B	mm	15 - 90
C	mm	60 - 210






PK-222

Side-load intermittent motion cartoning machine, operating from pre-glued cartons, inserting the product inside laterally, and closing the carton.


Machine Highlights

- Feeding systems for sachets, stickpacks...
- Smart HMI
- Balcony style design ensures accessibility, easy cleaning and maintenance
- Neat separation between electrical and mechanical sections
- Space to allocate pre-folded leaflets and booklet dispensers as well as Track & Trace systems, printers, cameras...
- Compliance with GMP and 21 CFR Part 11 standards
- Full servo assisted motions
- Positive carton pick-up/forming
- Quick and easy changeover"
- Pre-glued carton boxes with parallel or alternate flaps. Closures available: tuck-in, hot-melt or combination of tuck-in/hot-melt (i.e. tamper evident).




Technical Specifications

		PK-222
Max output	ppm	85 - 90
Electric data		230 - 400 V / 50 HZ
Installed power (Hot melt closure)	kW	8
Installed power (Tuck-in closure)	kW	3
Air consumption	NI/min	200
Changeover time	min	15
Approx. weight	kg	1450
A	mm	15 - 150
B	mm	15 - 90
C	mm	60 - 250



Coesia Group in the world



COESIA is a group of innovation-based industrial and packaging solutions companies operating globally, headquartered in Bologna, Italy.

Coesia's companies are leaders in the sectors of:

- **Advanced automated machinery**
- **Industrial process solutions**
- **High-performance transmissions**

Coesia's customers are leading players in a broad range of industries, including Consumer Goods, Tobacco, Healthcare, Aerospace, Racing & Automotive and Electronics.

Representaciones de Centroamérica, S.A

www.recasa.com.gt | mercadeo@recasa.net

GT (502) 2461-2727 | SV (503) 2522-0638 | CR (506) 4419-0810

